



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

Educ
2310
200

Milner - On Teaching Geometry - 1900



3 2044 096 985 155

.duc 2310,200

Harvard College
Library



By Exchange

Theodore J. Bradley

Heath's Mathematical Monographs

Issued under the general editorship of

Webster Wells, S. B.

Professor of Mathematics in the Massachusetts Institute of Technology

ON TEACHING GEOMETRY

BY

FLORENCE MILNER

*DETROIT UNIVERSITY SCHOOL
DETROIT, MICHIGAN*

D. C. Heath & Co., Publishers

Boston

New York

Chicago

Number 2

Price, 75c. Cloth

NEW YORK STATE LIBRARY
JUN 21 1933

THE IDEAL GEOMETRY

Must have

Clear and concise types of formal demonstration.

Many safeguards against illogical and inaccurate proof.

Numerous carefully graded, original problems.

Must

Afford ample opportunity for originality of statement and phraseology without permitting inaccuracy.

Call into play the inventive powers without opening the way for loose demonstration.

Wells's Essentials of Geometry
meets all of these demands.

*Half leather, Plane and Solids, 299 pages, Price \$1.25.
Plane, 75 cents. Solids, 75 cents.*

C. HEATH & CO., Publishers
TOM NEW YORK CHICAGO

OF ORIGINAL WORK

IN 800 EXERCISES

IS A MARKED FEATURE OF WELLS'S
ESSENTIALS OF GEOMETRY

AS soon as the art of rigorous logic is acquired, the simpler and more axiomatic steps are omitted from the given proof, and the student is required to supply them for himself. Ample opportunity for originality of statement is afforded, but no inaccuracy permitted. The inventive powers are called into play without opening the way for loose demonstration. As power of independent thought and reasoning grows, the student is given fewer helps, and finally, is entirely dependent on himself to make his constructions and prove his propositions.

**STURDY SELF-RELIANCE,
RESOURCEFULNESS,
AND INGENUITY,
ARE THE RESULTS.**

I commend particularly that feature of the Geometry in which the details of proof are left gradually to the pupil.

GEO. BUCK.

Steele High School, Dayton, O.

I like the original exercises which are not at first too difficult, but by their gradation encourage and stimulate.

G. K. BARTHOLEMEW.

English School, Cincinnati, O.

HALF LEATHER, PLANE AND SOLID, \$1.25. PLANE, 75 CENTS. SOLID, 75 CENTS.

D. C. HEATH & CO.
BOSTON NEW YORK CHICAGO

ESSENTIALS OF ALGEBRA

By WEBSTER WELLS, S.B.,

Professor of Mathematics in the Massachusetts Institute of Technology.

This book fully meets the most rigid requirements now made in secondary schools. Like the author's other Algebras, it has met with marked success and is in extensive use in schools of the highest rank in all parts of the country.

The method of presenting the fundamental topics differs at several points from that usually followed. It is simpler, more logical and more philosophical, yet by reason of its admirable grading and superior clearness *The Essentials of Algebra* is not a difficult book.

The examples and problems number over three thousand and are very carefully graded. They are especially numerous in the important chapters on Factoring, Fractions, and Radicals. All of them are new, not one being a duplicate of a problem in the author's *Academic Algebra*.

In accurate definitions, clear and logical demonstrations, well selected and abundant problems, in systematic arrangement and completeness, this *Algebra* is unequalled.

Half leather. 358 pages. Introduction price, \$1.10.

D. C. HEATH & CO., Publishers, Boston, New York, Chicago



FACTORING

AS PRESENTED IN

WELLS' ESSENTIALS *of* ALGEBRA

- I. Advanced processes are not presented too early.
- II. Large amount of practice work.

No other algebra has so complete and well-graded development of this important subject, presenting the more difficult principles at those stages of the student's progress when his past work has fully prepared him for their perfect comprehension.

The Chapter on Factoring contains these simple processes :

- CASE I. When the terms of the expression have a common monomial factor — thirteen examples.
- II. When the expression is the sum of two binomials which have a common binomial factor — twenty examples.
- III. When the expression is a perfect trinomial square — twenty-six examples.
- IV. When the expression is the difference of two perfect squares — fifty-five examples.
- V. When the expression is a trinomial of the form $x^2 + ax + b$ — sixty-six examples.
- VI. When the expression is the sum or difference of two perfect cubes — twenty examples.
- VII. When the expression is the sum or difference of two equal odd powers of two quantities — thirteen examples.

Ninety-three Miscellaneous and Review Examples.

Further practice in the application of these principles is given in the two following chapters — Highest Common Factor and Lowest Common Multiple.

In the discussion of Quadratic Equations, Solution of Equations by Factoring is made a special feature.

Equations of the forms $x^2 - 5x - 24 = 0$, $2x^2 - x = 0$, $x^3 + 4x^2 - x - 4 = 0$, and $x^3 - 1 = 0$ are discussed and illustrated by thirty examples. The factoring of trinomials of the form $ax^2 + bx + c$ and $ax^4 + bx^2 + c$, which involves so large a use of radicals, is reserved until Chapter XXV, where it receives full and lucid treatment.

The treatment of factoring is but one of the many features of superiority in Wells' Essentials of Algebra.

Half Leather, 338 pages. Price \$1.10.

D. C. HEATH & CO., Publishers
BOSTON NEW YORK CHICAGO

Superior

- (1) in general excellence
- (2) in special fitness for use

CENTRAL HIGH SCHOOL,
Philadelphia, Pa.

I have examined, with interest and appreciation, Wells's Essentials of Geometry both with reference to its improvements over his former edition and also with reference to its excellence when compared with others of the present date. I have no hesitation in saying **that it seems to me superior both in general excellence and special fitness** for use in the schoolroom, to any which I have seen.

GEORGE W. SCHOCK,
Professor of Mathematics.

Superior

- (1) in the order of theorems
- (2) in the proof of corollaries
- (3) in the grading of the original exercises
- (4) in the opportunity for original work

BOYS' HIGH SCHOOL,
Brooklyn, N. Y.

In the order of theorems, the proof of corollaries, the grading of the original exercises, in the diagrams for the exercises, and in the opportunity for original work, Wells's Essentials of Geometry is notably superior.

C. A. HAMILTON,
Instructor in Mathematics.

Decidedly the Best

CENTRAL HIGH SCHOOL,
Cleveland, Ohio.

Wells's Essentials is decidedly the best geometry for general school work so far published.

WALTER D. MAPES,
Instructor in Mathematics.

ESSENTIALS OF GEOMETRY

PLANE AND SOLID

BY WEBSTER WELLS, S.B.

*Professor of Mathematics in the Massachusetts Institute
of Technology*

In this new work, issued in 1899, the ideal of modern teaching of Geometry is made practical by a method which neither discourages the pupil nor helps him to his hurt. The author recognizes the needs of the beginner, and meets them in such a way as to arouse his interest and enthusiasm. The college requirements are heeded, both in letter and spirit, without sacrifice of organic unity.

The exercises are about 800 in number, and are carefully graded. An important feature consists in giving figures and suggestions in connection with the exercises. In Books I and VI, a figure is given for nearly every non-numerical exercise; in the other books they are given less frequently. It is believed that with this aid the exercises are brought within the capacity of the average pupil, and that his interest in the solution of the original exercises will be stimulated.

Every definition, demonstration and discussion has been subjected to rigorous criticism in order to secure clearness, brevity and absolute accuracy. It is believed that no other text in Geometry is so free from ambiguous and loosely constructed statements.

The Appendix contains rigorous proofs of the limit-statements used in connection with the demonstrations of Book IX.

Half leather. Pages, viii + 391. Introduction price, \$1.25.

Plane Geometry, separately, 75 cents. Solid Geometry, separately, 75 cents.

D. C. HEATH & CO., Publishers, Boston, New York, Chicago

Good Advice from Harvard

GEOMETRY

"As soon as the pupil has begun to acquire the art of rigorous demonstration, his work should cease to be merely receptive, he should be trained to devise constructions and demonstrations for himself, and this training should be carried through the whole of the work of Plane Geometry. Teachers are advised, in their selection of a text-book, to choose one having a clear tendency to call out the pupil's own powers of thought, prevent the formation of mechanical habits of study, and encourage the concentration of mind which it is a part of the discipline of mathematical study to foster." — *Extract from the Harvard University Catalogue, 1900, page 304.*

Wells's Essentials of Geometry

fully meets these broad requirements, and meets them more successfully than any other book.

Half Leather, Plane and Solid, \$1.25.

Plane, 75 cents. Solid, 75 cents.

D. C. HEATH & CO., Publishers

BOSTON

NEW YORK

CHICAGO

ON TEACHING GEOMETRY

BY

FLORENCE MILNER

DETROIT UNIVERSITY SCHOOL
DETROIT, MICHIGAN

BOSTON, U.S.A.

D. C. HEATH & CO., PUBLISHERS

1900

Educ 2310.200

✓



By exchange
New York State Library

COPYRIGHT, 1900,
BY D. C. HEATH & Co.

4

ON TEACHING GEOMETRY.

OF writing many geometries there is no end. With any of them, or without them all, the good teacher will get good results; with the best of them, the poor teacher cannot rise above mediocrity. Under both conditions, however, there is wisdom in a careful choice, for a strong book not only lessens the labors of a good teacher, but makes it possible for a class to get some value out of the work in spite of poor teaching. Yet we as teachers are inclined to ask too much of textbooks, and we expect them not only to do their own work, but also to become responsible for a large share of ours. It is the province of the textbook to present clearly, according to its established sequence, the subject matter of geometry, not to teach how to teach it, and that book is best which has in it least of anybody's method, even of the present writer's, and most of clearly expressed geometry. So, however good the book, there always remains, and wisely too, much for the teacher to do.

It is not the present purpose to outline any particular method of teaching, but to call attention to a few general lines which, in harmony with the

subject, should be followed out, and to touch upon some points in a wider training which a correct handling of the subject should give.

Geometry differs markedly from the preceding studies, and success or failure depends largely upon getting at the beginning the right point of view. To play a game of chess one must learn the moves of individual pieces. These, in infinite combination, but always under the same fixed rules, make up the most intricate of intellectual games. Geometry is analogous. We expect no one to play a game of chess until he learns the moves; we should not expect a pupil to work intelligently in geometry until he is helped to the mental attitude demanded by the subject, and knows something of the few simple truths that are the guiding thread through the seemingly intricate labyrinth.

In geometry the pupil encounters for the first time formal logic, and we are too prone to plunge a class into it without adequate preparation. Before opening the book at all, the pupil should be taught something of the nature of logic, something of its requisites, something of its method of work. Certain texts adhere to set, formal demonstrations, others give nothing but original work, while between these two extremes are all grades of compromise, with more or less practical application of established truths. Whether we are working out original theorems or are following the demonstra-

tion of a conventional proposition or are using our knowledge in the solution of a practical problem, the process is identical.

Axioms and definitions are the foundation upon which the whole superstructure of geometry is builded, and in the beginning a class should be thoroughly grounded in an understanding of their nature and province. Definitions should receive first attention.

If you and I are to carry on a discussion about an apple, we must agree as to its characteristics. If you define it as "the fleshy pome or fruit of a rosaceous tree," while I insist that it is a hard, black mineral, we shall never get far in our argument. If you say that "a triangle is a plane figure bounded by three right lines," while I call a solid bounded by four curved surfaces a triangle, our discussion will again come to grief. It becomes necessary, then, that you and I agree upon a common conception of the object under consideration, and that we shall so describe it that ambiguity is impossible. This is the province of the definition. A definition is such a description as will bring up to all minds the same conception. The definitions in geometry have long been agreed upon by mathematicians, and the importance of knowing, and knowing with verbal accuracy, the universally accepted description of geometric concepts cannot be too strenuously insisted upon, and the teacher who in place of accurate technical lan-

guage accepts careless and verbose statements, does a class a great wrong. A lover of literature will have little patience with one who, pretending to give Hamlet's soliloquy or Milton's sonnet *On his Blindness* would dare substitute his own meagre words for the matchless language of the great masters. In certain directions the phraseology of mathematics has crystallized equally with other literature, and the giving of familiar definitions is not the place for original work,—that comes later.

The attitude toward axioms should next be made right. Every sane mind finds itself unconsciously in possession of certain knowledge. We know that certain things are true. No one can remember when he learned that the whole of anything is greater than any one of its parts, but the babe creeping along the floor has a practical knowledge of the truth, and he will contest it with you to the limit of his physical strength. Later he will formulate the idea, and possibly when he gets into the high school, some teacher will set him to learning this axiom as though it were something new. On the contrary, the youth should be taught that certain facts are so evidently true that everybody must needs accept them or be counted of unsound mind. When he begins the study of geometry, many of these truths should be put into compact form for future use. Here again comes the value of systematic and even stereotyped phraseology. He should learn now to state in the technical lan-

guage of mathematics what he and everybody else have long known.

When the pupil has been put in the right attitude toward axioms and definitions, he is ready to open his geometry and learn how to use them. Certain general definitions should be studied. He should know what a proposition is; that there are various kinds, differing in purpose and in form of expression. As he comes to them, he should discriminate carefully between theorem, problem, corollary, and lemma.

Most geometries give some preliminary work consisting largely of definitions and other discussion of geometrical concepts. This should be studied with more or less thoroughness, as the preparation of the class demands.

Entering upon the work peculiar to geometry, we come to the opening section, which may treat of perpendicular straight lines, of triangles, or of whatever the sequence of the particular text in use demands. After reading the first theorem, the hypothesis should be isolated that the pupil may know exactly what is to be his by gift of this same hypothesis, and he should be taught to enumerate these gifts. Perhaps the enumeration will run like this: "A line, a point without that line, and a perpendicular from the given point to the given line." Show the class that it is not sufficient to say that a line and a point are given; this allows one to locate the point within the line. Whenever they

fail to be thus accurate in statement, draw figures, taking such latitude as they leave you by inaccurate statement. A few illustrations will show them the necessity of talking sharply to the facts, and the pupils will soon learn to hold each other to statements that admit of no ambiguity.

A certain power of reconstructive imagination should also be cultivated. Besides stating accurately the conception that is in one's own mind, there must be the ability to construct, rapidly and clearly, mental pictures of all statements made in class. Every sentence uttered should add something to the picture or present some new phase of it. Every recitation should be a series of constantly changing views in which everybody, in his mind's eye, sees the same things. This result is not easy to obtain, but it is possible, and the degree of excellence reached by a class becomes a crucial test of the teacher.

Impress upon a class that the formal statement of a proposition is always a *general* truth, true of all figures falling under the given conditions. These statements are conventional and should be as accurately stated as definitions and axioms.

In proving a proposition, our human limitations require us to fix our minds upon a particular case, and accordingly a *special* statement follows.

Given 1. Line AB .

2. Point P without the line.

3. Perpendicular PD upon the line

To prove, that PD is the shortest distance from P to the line AB .

If there is more than one conclusion, bring out the facts in clear, mathematical language. Do not be satisfied to let a class say, "To prove that from the point P one perpendicular and only one can be let fall to the line AB ." It should be stated, "To prove: first, that one perpendicular can be let fall upon the line AB ; and second, that only one can be let fall from the same point upon the line."

This may seem to some like splitting hairs, but mathematics is an exact science, and in the beginning too much cannot be done in training toward accurate thought and exact expression.

Now comes important work in preparing for a formal demonstration. Here the class must learn that the regular, logical form of every argument is a syllogism. Pupils will not be frightened at the new word, and they will like to use it when they comprehend its meaning. Discuss it with them. Explain the major premise, the minor premise, and show how the conclusion inevitably follows. Give them an example and set them to hunting for others. You will wonder where they find so many.

Next teach them that every step in a well-constructed demonstration is taken by means of a syllogism. As the major premise must always enunciate a general truth, the major premise in their first demonstration must be either an axiom or a definition, for these are the only general geometric

truths in their possession. The minor premise isolates and states formally the special case now present and in harmony with the major premise. The conclusion is the new knowledge revealed by bringing these two premises together. This conclusion in turn may become the minor premise, and so on to the end of the argument.

Show a class how a syllogism may be worked out from some of the early definitions and axioms, letting the minor premise be a fact given. Tell them, for instance, to draw the line CD to the point D in the line AB , making the angle CDB a right angle. This is the fact given, and if demonstration were to follow, might constitute the hypothesis. Now if the fact is of any value in constructing a syllogism it must fall under some general definition or axiom. Some one will discover that the definition for a perpendicular fits the case. Then you can show how the inevitable conclusion that CD is perpendicular to AB must follow. Finally show the formal structure of a syllogism and write out the one developed.

1. The line CD meets the line AB , making the angle CDB a right angle.
2. A perpendicular to a line is a line which makes right angles with a given line.
3. CD is perpendicular to AB .

Repeat the process until you make them see that when the first two terms are rightly selected and agreed upon, there is no escape from the

conclusion. It follows like a decree of inexorable fate.

Every demonstration is a chain of syllogisms, in all of which the major premise must be some general conclusion already established, either axiom, corollary, theorem, definition, or algebraic truth. Of course as the work goes on, the formal statement that involves frequent repetition can be contracted, but the habit of looking at every demonstration from this side is invaluable.

Text-books do not follow this form, for they rarely give complete demonstrations. The text is an outline of the subject, a note-book, keeping the general trend of the argument but leaving the pupil to fill in the suggested discussion. Teachers rarely insist upon so closely logical a demonstration as is here outlined, but experience and careful comparison have convinced me that the syllogistic method closely adhered to in the beginning produces results that come from no other kind of work.

In the illustration just used, a pupil might say and with truth, " CD is perpendicular to AB because CDB is a right angle," and "When a line meets," etc., but that is making a statement and then going back to try to make the statement good. The other method never leaves a chance to question a point, for one follows another in the logical order that carries conviction at every step.

If you announce to an opponent the thing of

which you expect to convince him, the effect is usually to arouse his antagonism, and he will then and there make up his mind, and no argument of yours, no matter how convincing, is likely to change his opinion. He may listen to you politely, but when you are through he will probably say, "Yes, but as I said in the first place." Don't give him a chance to say anything in the first place, but make him grant your premises, one after another, then when your conclusion is reached, there is nothing left for him to do but accept it.

If this method is used in conventional and formal demonstration, it becomes of greatest value in original work. A pupil thus trained will, when given original work, have a definite and efficient method of attack. He will first study his hypothesis, isolating each individual part of it. Taking one fact for a minor premise, he will next examine his stock in trade and see what definition, theorem, corollary, or other authority he can bring to bear on the case in hand. He will draw his conclusion and see if it advances his argument or brings him nearer the desired end. If it does not, then he decides that his minor premise is wrong and returns to his hypothesis for another fact, and constructs the syllogism. Sooner or later he is bound to reach the right conclusion.

Sometimes teachers allow pupils to say that such or such a thing is true "by a previous proposition." This is a much abused and greatly over-

worked expression. It becomes to a poor student like a cloak of charity, and if permitted, will be used to cover a multitude of hazy, illogical, and vague ideas.

Do you think that a judge in court would admit as evidence the statement that somewhere, sometime, somebody had made a decision in a case somewhat similar to the one in hand? Indeed not. The lawyer would have to produce his authority, giving title, volume, and page of report, with date of decision. In all demonstrations equal accuracy should be demanded. Not that chapter and verse be given, but pupils should be made to quote geometric scripture in proof of every conclusion. And "quote" here means exactly what the word indicates, not a slipshod attempt at giving the idea.

There are certain definite and wide-reaching results that should come from the right teaching of geometry. Mention has already been made of the importance of accurate and exact expression, but this must be preceded by equally exact and accurate thinking. Better than any other subject, geometry will train the youth to keep close watch and ward over the action of his mind and accustom him to express clearly and honestly the result of his own mental happenings. The ability to make wise selection under varying circumstances, is repeatedly demanded. After a figure is drawn, the pupil should examine it carefully. He may discover in it many things which he knows, from

construction, hypothesis, or other conditions, are all true, but only one of them has any concern with the business in hand. He should be trained to see that one fact, and be able to make proper use of it. Teach him to go straight after the one that he needs, and make it serve him.

He should also be taught that certain things lie within his power to do, while others are as absolutely beyond his control as are the turbulent waves, the floating clouds, or the sweeping course of the planets.

He may push a stone from the edge of an overhanging cliff, but after that he must let it go crashing down the mountain side. He may elect to let fall a perpendicular from a certain point to a given line, but he cannot dictate where it shall strike the line. He may know certain things about two figures, and it may be wise to try the application of one to the other. He may lift one figure and place a line of it or an angle upon its equal, but there his control over the matter ceases. From that moment he is under law, and face to face with *the eternal*. Let him stand there a humble spectator, knowing that till heaven and earth shall pass, "one jot nor one tittle shall in nowise pass from the law" over which his finite mind has no control. He was responsible for placing the figures together, but before the resulting consequences he is helpless. He may watch to see if in the finality there is anything that concerns him. Here again he will

discover various things accomplished; but again he must recognize the one conclusion for which he has been striving, must isolate it from the rest, and hold it up to view with the strength of conviction.

The young mind is naturally unreasoning, and often utters words without consciousness of a definite idea back of them. The pupil will watch the teacher rather than himself, to determine whether he is travelling the right road. It is very easy for a teacher unconsciously to take this responsibility, and by various gentle leading-strings keep the pupil in the path; but such work is not teaching geometry. If a class leans upon you, or has the habit of watching you, rest assured that your teaching is not right. If the development is correctly carried on, the pupil will be aroused to watch his own mind, his own statements, and the work in hand; the more nearly he can forget *you*, the better. He must learn to discover what is actually happening in his own mind as the process of reasoning goes on; he must be trained to faith in his own convictions, and to fearlessness in expressing them. Nothing is more pitiful than a mind that can be shifted from any position by an incredulous question. At first your pupils will not think independently. Rouse them from this condition, and force them to a conclusion of some sort. A wrong opinion is better than no opinion at all, for activity is better than stagnation.

In a demonstration the teacher must be con-

stantly in the attitude of the doubting Thomas, who took nothing on faith, but always demanded evidence. In this way the burden of proof rests with the pupil, and his aim should be to anticipate every possible question. An exceptionally good teacher of geometry says that the right results have not been attained until a pupil not only ceases to lean upon a teacher, but is also able to stand up against a teacher. Do not rest until you see your pupils thinking independently, and at the same time clearly, fearlessly talking out their conclusions.

For a complete setting in order of one's mental house, the High School course offers nothing better than geometry. The facts learned have some value, but the greatest good is the mental poise, the clearness of vision, and the honesty of expression that it develops. In addition to all this, a pupil rightly trained will learn to measure his own strength, will recognize his limitations, and will bow in reverent respect before some things greater than himself.

NOTE.—Some teachers may be interested to see how the preceding discussion would tend to elaborate in recitation the demonstrations as they appear in our best textbooks. It has seemed wise, accordingly, to add such a detailed demonstration. The particular theorem is selected because it offers illustrations of more points than does any other in the early part of the work.

The syllogistic method has been strictly adhered to until the last few steps of the concluding argument are reached. At this point the mind works so rapidly as to become impatient of talking out in slow words what it grasps instantly, if the preceding argument has been properly built up. You have seen children stand dominoes in a row at regular intervals, working with painstaking care to get them rightly placed. A single touch upon the last one overthrows it, and the others inevitably fall in rapid succession. So in this argument. When the conclusion that CEC cannot be a straight line is reached, all the rest of the structure comes tumbling down so rapidly that no time is left to do more than to watch each domino as it falls. See to it that the arguments are rightly placed as the demonstration is built up, and the rest will take care of itself.

Of course the syllogisms can be easily repeated in this last part as well, and it is often a good exercise to allow a class to supply them.

BOOK I. PROPOSITION VI. THEOREM.*

From a given point without a straight line a perpendicular can be drawn to the line, and but one.

Given the line AB and the point C without the line.


To prove (1) that from the point C one \perp can be drawn to the line AB ;

(2) that only one \perp can be drawn from the point C to the line AB .

Proof. 1. Draw the auxiliary line FG , and let HK be drawn from $H \perp$ to AB .

2. At a given point in a straight line a perpendicular to the line can be drawn, and but one. (25)

\therefore 3. HK is \perp to FG at H .



Apply the line FG to the line AB , and move it along until HK passes through C . Let D be the point where H falls. Draw the line CD .

1. CD has two points, C and D , which coincide with points in HK by construction.

* From Wells's *Essentials of Plane and Solid Geometry*.

2. But one straight line can be drawn between two points. (Ax. 3.)

∴ 3. CD coincides with HK , and CDB coincides with and is equal to KHG .

1. KHG is a rt. \angle .

2. $\angle CDB = \angle KHG$.

∴ 3. CDB is a rt. \angle .

1. CDB is a rt. \angle .

2. When a line makes a right angle with another line, it is said to be perpendicular to it. (24)

∴ 3. CD is \perp to AB .

Hence one perpendicular can be drawn from the point C to the line AB .

If there can be another \perp from C to AB , let it be CE . Produce CD , making $C'D = CD$. Draw $C'E$.

1. $C'D = CD$ by construction.

ED is \perp to CC' by construction.

2. If lines be drawn to the extremities of a straight line from any point in the perpendicular erected at its middle point, they make equal angles with the perpendicular. (44)

∴ 3. $\angle C'ED = \angle CED$.

1. $\angle C'ED = \angle CED$.

2. $\angle CED$ is a rt. \angle by hypothesis.

∴ 3. $\angle C'ED$ is also a rt. \angle .

Add $\angle CED$ and $\angle C'ED$.

18 On Teaching Geometry.

1. $\angle CED$ is a rt. \angle by hypothesis.

$\angle C'ED$ is a rt. \angle by proof.

2. If the sum of two adjacent angles is equal to two right angles, their exterior sides lie in the same straight line. (37)

\therefore 3. CEC' is a straight line.

1. CEC' is a straight line by proof.

CDC' is a straight line by construction.

2. But one straight line can be drawn between two points. (Ax. 3.)

\therefore 3. As we *know* that CDC' is a straight line by construction, CEC' cannot be a straight line.

If CEC' is not a straight line, then $CED + C'ED$ is not = to two rt. \angle s.

If $CED + C'ED$ is not equal to two rt. \angle s, then CED , which is half of this sum, is not a rt. \angle .

If CED is not a rt. \angle , then CE is not \perp to AB .

As CE is any other possible \perp from C to AB , then CD is the only \perp from C to the line AB .

Hence there can be only one perpendicular from C to the line AB .

THREE (3) POINTS

— FROM MANY — IN WHICH

WELLS'S ESSENTIALS OF GEOMETRY

EXCELS :

Accuracy

No other Geometry is so free from ambiguous and loosely constructed statements. Every definition and demonstration has been subjected to rigorous criticism in order to secure clearness, brevity and absolute accuracy.

Adaptation

to the needs of beginners. The difficulties that confront the pupil are recognized and met in such a way as to arouse his interest and enthusiasm. Propositions and original exercises are presented in a manner at once more teachable and more educative than ever before attempted.

Adequacy

to the demands of the colleges and technical schools. The entrance requirements are heeded, *both in letter and spirit*, without sacrifice of organic unity.

Summary {

1. Accurate for Everybody
2. Interesting to Pupils
3. Satisfactory to Teachers

No teacher in search of the best and most practical text on Geometry can afford to disregard the merits of Wells's Essentials.

D. C. HEATH & CO., Publishers

BOSTON

NEW YORK

CHICAGO

EXERCISE BOOK IN ALGEBRA

*Designed for supplementary or review work in connection with
any text-book in Algebra.*

BY MATTHEW S. MCCURDY, M.A.,

Instructor in Mathematics in the Phillips Academy, Andover, Mass.

This book is designed to furnish a collection of exercises similar in character to those in the ordinary text-books, of medium grade as to difficulty, and selected with special reference to giving an opportunity for drill upon those subjects which experience has shown to be difficult for students to master.

Though intended primarily to be supplementary to some regular text-book, a number of definitions and a few rules have been added, in the hope that it may also be found useful as an independent review and drill book. With or without answers.

Cloth. Pages, vi + 220. Introduction price, 60 cents.

ALGEBRA LESSONS

BY J. H. GILBERT.

This series is intended for supplementary or review work, and contains three numbers: No. 1 — To Fractional Equations, No. 2 — Through Quadratic Equations, No. 3 — Higher Algebra.

Paper. Tablet form. Price, \$1.44 per dozen.

REVIEW AND TEST PROBLEMS IN ALGEBRA

BY S. J. PETERSON AND L. F. BALDWIN.

The problems in this manual are original—none have been copied from any other author. They illustrate points of special importance, and are sufficiently varied and difficult for written drills for those preparing for college entrance examinations.

Paper. 87 pages. Introduction price, 30 cents.

D. C. HEATH & CO., Publishers, Boston, New York, Chicago

NEW HIGHER ALGEBRA

BY WEBSTER WELLS, S.B.

*Professor of Mathematics in the Massachusetts Institute
of Technology*

The first 358 pages of this book are identical with the author's Essentials of Algebra, in which the method of presenting the fundamental topics differs at several points from that usually followed. It is simpler and more logical.

The latter chapters present such advanced topics as compound interest and annuities, permutations and combinations, continued fractions, summation of series, the general theory of equations, solution of higher equations, etc.

Great care has been taken to state the various definitions and rules with accuracy, and every principle has been demonstrated with strict regard to the logical principles involved.

The examples and problems are nearly 4,000 in number, and thoroughly graded. They are especially numerous in the important chapters on factoring, fractions and radicals.

The New Higher Algebra is adequate in scope and difficulty to prepare students to meet the maximum requirements in elementary algebra for admission to colleges and technical schools. The work is also well suited to the needs of the entering classes in many higher institutions.

Half leather. Pages, viii + 496. Introduction price, \$1.32.

Wells's Academic Algebra. For secondary schools. \$1.08.

Wells's Essentials of Algebra. For secondary schools. \$1.10.

Wells's Higher Algebra, \$1.32.

Wells's University Algebra. Octavo. \$1.50.

Wells's College Algebra, \$1.50.

D. C. HEATH & CO., Publishers, Boston, New York, Chicago

COLLEGE ALGEBRA

BY WEBSTER WELLS, S.B.,

*Professor of Mathematics in the Massachusetts Institute
of Technology.*

The first eighteen chapters have been arranged with reference to the needs of those who wish to make a review of that portion of Algebra preceding Quadratics. While complete as regards the theoretical parts of the subject, only enough examples are given to furnish a rapid review in the classroom.

Attention is invited to the following particulars on account of which the book may justly claim superior merit : —

The proofs of the five fundamental laws of Algebra — the Commutative and Associative Laws for Addition and Multiplication, and the Distributive Law for Multiplication — for positive or negative integers, and positive or negative fractions ; the proofs of the fundamental laws of Algebra for irrational numbers ; the proof of the Binomial Theorem for positive integral exponents and for fractional and negative exponents ; the proof of Descartes's Rule of Signs for Positive Roots, for incomplete as well as complete equations ; the Graphical Representation of Functions ; the solution of Cubic and Biquadratic Equations.

In Appendix I will be found graphical demonstrations of the fundamental laws of Algebra for pure imaginary and complex numbers ; and in Appendix II, Cauchy's proof that every equation has a root.

Half leather. Pages, vi + 578. Introduction price, \$1.50.

Part II, beginning with Quadratics. 341 pages. Introduction price, \$1.32.

D. C. HEATH & CO., Publishers, Boston, New York, Chicago

Definitions.....Accurate
Demonstrations.....Clear and logical
Problems.....Well graded and abundant
Order of Topics.....Suited to the learner
Scope.....Adequate for the best schools

THESE are a few of the characteristics of a successful Algebra.
The one book that has them all, and in the right combination is
the

ESSENTIALS OF ALGEBRA

By WEBSTER WELLS, S.B.

Professor of Mathematics in the Massachusetts Institute of Technology.

IT fully meets the most rigid requirements now made in secondary schools. Like the author's other Algebras, it has met with marked success and is in extensive use in schools of the highest rank in all parts of the country.

The method of presenting the fundamental topics differs at several points from that usually followed. It is simpler, more logical and more philosophical, yet by reason of its admirable grading and superior clearness The Essentials of Algebra is not a difficult book.

Half leather. 358 pages. Introduction Price, \$1.10.

D.C. HEATH & CO., Publishers, Boston, New York, Chicago

Wells's Mathematical Series.

ALGEBRA.

- Wells's Essentials of Algebra** \$1.10
 A new Algebra for secondary schools. The method of presenting the fundamental topics is more logical than that usually followed. The superiority of the book also appears in its definitions, in the demonstrations and proofs of general laws, in the arrangement of topics, and in its abundance of examples.
- Wells's New Higher Algebra** 1.32
 The first part of this book is identical with the author's Essentials of Algebra. To this there are added chapters upon advanced topics adequate in scope and difficulty to meet the maximum requirement in elementary algebra.
- Wells's Academic Algebra** 1.08
 This popular Algebra contains an abundance of carefully selected problems.
- Wells's Higher Algebra** 1.32
 The first half of this book is identical with the corresponding pages of the Academic Algebra. The latter half treats more advanced topics.
- Wells's College Algebra** 1.50
 A modern text-book for colleges and scientific schools. The latter half of this book, beginning with the discussion of Quadratic Equations, is also bound separately, and is known as Wells's College Algebra, Part II. \$1.32.
- Wells's University Algebra** 1.32

GEOMETRY.

- Wells's Essentials of Geometry** — Plane, 75 cts.; Solid, 75 cts.;
 Plane and Solid 1.25
 This new text offers a practical combination of more desirable qualities than any other Geometry ever published.
- Wells's Stereoscopic Views of Solid Geometry Figures**60
 Ninety-six cards in manila case.
- Wells's Elements of Geometry** — Revised 1894. — Plane, 75 cts.;
 Solid, 75 cts.; Plane and Solid 1.25

TRIGONOMETRY.

- Wells's New Plane and Spherical Trigonometry** (1896) . . . \$1.00
 For colleges and technical schools. With Wells's New Six-Place Tables, \$1.25.
- Wells's Plane Trigonometry**75
 An elementary work for secondary schools. Contains Four-Place Tables.
- Wells's Essentials of Plane and Spherical Trigonometry**90
 For secondary schools. The chapters on Plane Trigonometry are identical with those of the book described above. With Tables, \$1.08.
- Wells's New Six-Place Logarithmic Tables**60
 The handsomest tables in print. Large Page.
- Wells's Four-Place Tables**25

ARITHMETIC.

- Wells's Academic Arithmetic** \$1.00

*Correspondence regarding terms for introduction
 and exchange is cordially invited.*

D. C. HEATH & Co., Publishers, Boston, New York, Chicago

Mathematics

tion's Theory of Equations. A treatise for college classes. 74 pp.
wer's Academic Algebra. For secondary schools. \$1.00.
wer's College Algebra. A full treatment of elementary and advanced topics. \$1.50.
wer's Plane and Solid Geometry. \$1.25. Paper, bound separately. 72 pp.
wer's Elements of Plane and Spherical Trigonometry. 68 pp., with plates, \$1.50.
wer's Treatise on Plane and Spherical Trigonometry. An advanced work for col-
leges and technical schools. \$1.50.
wer's Five-Place Logarithmic Tables. 50 pp.
ine's Number System in Algebra. Theoretical and historical. 21 pp.
Hall's Algebra Lessons. Three numbers; No. 1, to Fractions; No. 2, Higher Algebra. Each number, per copy, \$1.00.
through Quadratic Equations; No. 3, the inductive method. 71 pp.
lynn's Plane Geometry. Follows the inductive method. 71 pp.
ewland's Elements of the Conic Sections. 79 pp.
stern's Number and its Algebra. Introductory to college courses in algebra. 107 pp.
yman's Geometry Exercises. Supplementary work for drill. Per class, 75 cts.
McCardy's Exercise Book in Algebra. A thorough drill book. 60 cts.
Allen's Plane and Spherical Trigonometry. For colleges and technical schools. \$1.00.
With six-place tables, \$1.40.
Hobbs' Analytic Geometry. A treatise for college courses. 71 pp.
Robinson's Calculus. Differential and Integral. 100 pp.
Osborne's Differential and Integral Calculus. For teachers and students. 100 pp.
Peterson and Baldwin's Problems in Algebra. A brief and practical treatise. 50 pp.
Wallis's Surveying and Navigation. A brief and practical treatise. 50 pp.
Schwartz's Geometrical Treatment of Curves. 100 pp.
Waller's Descriptive Geometry. A large number of problems systematically arranged.
with suggestions. 50 cts.
Waller's Academic Arithmetic. With or without answers. 100 pp.
For secondary schools. \$1.00.
Waller's Essentials of Algebra. With or without answers. 100 pp.
For schools and adults. 75 cts.
Waller's Academic Algebra. Octavo. 50 pp.
Waller's Higher Algebra. \$1.50. Part II, beginning with conics. New
Waller's University Algebra. 100 pp. Part I, 50 pp.; Part II, 50 pp.
Waller's College Algebra. 100 pp. (100 pp.) \$1.25. PART II, 50 pp.
Waller's Elements of Geometry. Revised. For colleges and technical
schools. 100 pp. With Robinson's Surveying and Navigation.
Waller's Elements of Geometry. 100 pp. With Robinson's Surveying and Navigation.
Waller's New Plane and Spherical Trigonometry. 100 pp. With tables.
\$1.00. With six place tables. 100 pp.
Waller's Complete Trigonometry. 100 pp.
Tables, bound separately. 75 cts.
Waller's Five-Place Logarithmic Tables. 50 pp.
Waller's Best-Plane Tables. 100 pp.

HEATH'S MATHEMATICAL MONOGRAPHS

ISSUED UNDER THE GENERAL EDITORSHIP OF

WEBSTER WELLS, S.B.

Professor of Mathematics in the Massachusetts Institute of Technology.

It is the purpose of this series to make direct contribution to the resources of teachers of mathematics, by presenting freshly written and interesting monographs upon the history, theory, subject-matter, and methods of teaching both elementary and advanced topics. The first five numbers are as follows:—

1. FAMOUS GEOMETRICAL THEOREMS AND PROBLEMS AND THEIR HISTORY. By WILLIAM W. RICE, C.E.

i. The Greek Geometers. ii. The Pythagorean Proposition.

2. FAMOUS GEOMETRICAL THEOREMS. By WILLIAM W. RICE.

i. The Pythagorean Proposition (continued). ii. Squaring the Circle.

3. FAMOUS GEOMETRICAL THEOREMS. By WILLIAM W. RICE.

i. Trisection of an Angle. ii. The Area of a Triangle in Terms of its Sides.

4. FAMOUS GEOMETRICAL THEOREMS. By WILLIAM W. RICE.


i. The Limitation of the Circle. ii. The Mathematical Interpretation of the Transcendence of Ludolph's Constant.

5. ON TEACHING GEOMETRY. By HOBART MILLER.

Others in preparation.

PRICE, 10 CENTS EACH.

D. C. HEATH & CO., Publishers.
BOSTON NEW YORK CHICAGO



**This book should be returned to
the Library on or before the last date
stamped below.**

**A fine of five cents a day is incurred
by retaining it beyond the specified
time.**

Please return promptly.

DUE MAY 11 1953



the first two cases, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the third case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the fourth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the fifth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the sixth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the seventh case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the eighth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the ninth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the tenth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the eleventh case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the twelfth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.

In the thirteenth case, the first two terms of the series are equal to zero, and the series is reduced to a single term, which is the value of the function at the origin.